

## SUPPLEMENTAL LIST

MARGARET ILGENFRITZ

**ORCHIDS** 

MONROE MICHIGAN

## TERL DATED MESTAGUS

MARGARDT DIGENFRITZ

ORPHUSE

MONROE MICHIGAN

Aerides odoratum: Plant is large and becomes a nice specimen. Leaves are 6-9" long and about 1 1/2" broad. Racemes are arched, about 10" long. Flowers are large, creamy-white, tipped and blotched with magenta. Very fragrant. Summer. 8.50

Arpophyllum spicatum: Narrow stem-like pseudobulbs, bearing a coriaceous, narrow leaf. Dense, cylindrical racemes of flowers are borne at the base of the leaf. This species has pale rose-purple blooms with bright-purple lip. Early spring. 8.50

Brassavolae cucullata: Plant about 12" tall with rush-like foliage Flowers are hard-textured, white, shaded green, about 2" in size. Fall.

7.50

Brassia maculata: Pseudobulbs 3-4" high, very compressed.
Leaves 6-8" long, 6-10 flowers are borne on scapes about 12"
long. Flowers are large. Sepals and petals greenish-yellow,
spotted basally with brown. Lip is spreading, whitish, spotted
with purple and brown. Summer.

8.50

Catasetum splendens: A variable Catasetum, very handsome.

Possibly a hybrid between C. macrocarpum and C pileatum.

Flowers are large, from white to almost crimson. Autumn 8.50

Cattleya aurantiaca: A clear orange-red flower, about 3" in size. Plant about 15" tall. Summer. 8.50

Cattleya bicolor: An unusual Cattleya. Bulbs are tall with shorter leaves, medium-size flowers, the sepals and petals bronze-green with rose-purple lip without side lobes. Late summer.

8.50

Cattleya guttata: Cylindrical pseudobulbs about 18" tall with leathery leaves. Spikes are many-flowered with fleshy blooms about 3" across. Sepals and petals tawny-yellow, densely spotted with crimson. Lip rose-purple. Late summer. 9.50

Cattleya guttata var leopoldi: Similar to guttata but with more flowers. Sepals and petals bronze, spotted with crimson. Lip rich crimson-purple. Late summer. 9.50

Cattleya maxima: Plant 12-18" high, similar to C. labiata. Spikes have 5 to 10 flowers each. Flowers are not quite as large as C. labiata but the lip is distinctly veined. An average of 6 bulbs to the plant. Winter.

8.50

Chysis laevis: Bulbs are fleshy and about 10" long, leaves about the same length. Spikes are strongly arched and produce 4 or more blooms. Sepals and petals orange-yellow, lip marked with crimson. Early summer.

Cypripedium bellatulum: Dwarf habit. Flowers shell-shaped, creamy-white, spotted and marked uniformly with purplemaroon. Lip egg-shaped, sparcely spotted. Summer and various.

7.50

Cypripedium callosum: Marbled foliage. Dorsal sepal white with purple striping which follows the contour of the dorsal. Petals green at base, tips touched withpurple. Pouch purplish green. Winter to summer. 8.50

Cypripedium concolor: Rather dwarf habit. Marbled leaves are grey above, purplish beneath. Dorsal and petals yellow with reddish spots. Pouch whitish with smaller reddish spots. Early summer.

Dendrobium Dalhousieanum: (pulchellum) Tall-growing plant. Young growths streaked with red. Flowers 3-5" across with 5 or more flowers on apical racemes. Sepals and petals tawnyyellow shaded with rose. Lip has 2 large crimson blotches. Spring.

Dendrobium Draconis: Pseudobulbs about 12" high, black-haired. Flowers are about 4" across, pure-white with orange-yellow stain on lip. Fragrant and long-lasting. Autumn. 8.50

Dendrobium formosum var giganteum: Pseudobulbs about 12" high, stout, black-haired. Flowers about 4" across, purewhite, except the shovel-shaped lip, which has a deep, central orange stain. Long-lasting and very fragrant. Fall. 8.50

Dendrobium infundibulum: Stems are black-haired, 12-15" high, Flowers 2-4 in apical clusters, large, about 4" across, pure-white, except for yellow stain on lip, which extends into the funnel-shaped throat. Spring and various.

8.50

Dendrobium moschatum var cupreum: Erect stems, quite tall, about 2'. Racemes are 5 to 15 flowered from near the apices. Flowers 3-4" across, sepals and petals apricot-yellow, lip yellow with orange-colored spots. Summer. 8.50

Dendrobium ochreatum: Stems about 12" high, curved and knotted. Flowers are usually in pairs from nodes, 2-3" across. Sepals and petals bright orange-yellow. Lip has deep-maroon blotch. Spring.

8.50

Dendrobium Parishaïi: Stems 12-18" high, stout, erect, or sometimes curves. Flowers often in threes from nodes, 2-3" across. Rich, dark-rose bearing two purplish blotches in the throat. Fragrant. Spring.

Dendrobium thyrsiflorum: Bulbs about 15" tall, quite foursided. Flowers are 1-2" across, on long drooping stems. Sepals and petals white, sometimes pink-flushed; lip golden orange. A fine species. Spring.

8.50

Epidendrum aromaticum: Bulbs about 3" in size, foliage stiff, about 12" high. Flower spikes carry small, greenish-yellow blooms. Very fragrant. Spring. 7.50

Epidendrum brassavolae: Bulbs about 8" high, scapes are erect with 10-20 flowers. Blooms are large, sepals and petals yellow, middle lobe of lip somewhat heart-shaped. Fragrant. Spring.

8.50

Epidendrum ciliare: A very lovely bloom about 4" in size. Sepals and petals greenish-white, very fringed. Plant is similar in habit to Cattleya and requires same treatment. Winter. 9.50

Epidendrum cochleatum: The "Cockleshell" orchid. Bulbs and leaves about same height, about 5" each. Many flowers on each spike which follow each other as the last one falls off. Lip seems to be up-side-down and is striped with purplish-black.

Sepals and petals yellowish-green. Various.

7.50

Epidendrum dichromum: Very handsome and variable. Pseudobulbs about 3" high. Leaves about 8" high, fleshy. Erect or arching scapes about 2' high. Flowers about 2". Sepals and petals white or flushed with pale-rose. Lip is rose-yellow and white. Early summer.

Epidendrum fragrans: Pseudobulbs about 5" high, usually with 2 leaves. Flowers come on short spikes, about 2" in size. About 5 to a spike. Sepals and petals creamy-white, lip white, streaked with reddish-purple. Fragrant. Summer and fall. 8.50

Epidendrum pentotis: Pseudobulbs about 7" high with 2 leaves. Two to five 3" flowers on short spikes. Sepals and petals creamy-white, lip reflexed, striped with purple. Fragrant. Summer.

Epidendrum vitellinum: Oval pseudobulbs about 3" high, gray green foliage, about 8" long. Slender scapes produce cinnabarred blooms about 1 1/2" across. Usually blooms on current growth before it is quite complete. Fall and various. 7.50

Lawlia acuminata rosea: Dwarf in habit. Pseudobulbs 1-2" tall with a single leaf, about 4" long. Scapes slender, arching, about 10" long. Flowers are about 2" across, light-rose with dark-maroon spot on lip. Four or more flowers to a spike.

Winter.

8.50

Laelia rubescens: Dwarf growing. Pseudobulbs about 2" high, compressed with a single leaf about 4" long. Scapes are slender arching, 9-15" high, with about 6 flowers, about 2" across, white or flushed with rose and dark maroon spot at base of lip. Winter.

Lycaste skinneri: The most popular of the species. Height about 15". Flowers large and handsome, variable. Sepals white, more or less suffused with rose, petals smaller, usually marked with rose. Lip whitish, thickly spotted with rose and crimson. Winter.

Mormodes lineata: Similar in habit to Catasetum. Scapes about 1' long, many-flowered, large, yellow, shaded with green streaked and marked with reddish-brown. Very fragrant.

Summer.

9.50

Odontoglossum bictoniense: Free-flowering, blooming more than once a year. Pseudobulbs oval, flatish, plant about 15" tall. Scapes are many-flowered, a little taller than the plant. Medium sized blooms, the sepals and petals being yellowish-green, blotched with chestnut-brown. Lip heart-shaped, pale rose in color. Autumn and various.

Odontoglossum cordatum: Pseudobulbs flatly oval, about 3" high, leaves about 6" long. Scapes 1' sometimes branched, bear several flowers. Blooms are large, sepals pointed, chestnutbrown, tipped and marked at base with yellow. Petals shorter and broader, pale-yellow spotted and blotched with red-brown. Lip is heart-shaped, pointed, white, spotted with brown.

Spring.

9.50

Odontoglossum pulchellum: Very narrow pseudobulbs and grass like foliage on plant about 12" high. Flowers are small, many on a spike, pure-white except for yellow, fleshy disc on lip.

Sometimes called Lily of the Valley orchid. Fragrant. Spring.

9.50

Odontoglossum Rossi: Dwarf-growing, entire plant being not over 5". Scapes are not much taller than plant and bear 4-5 blooms 2-3" across. Sepals and petals white or rose-flushed with dark reddish-brown spots. Lip is usually white with yellow crest. Winter.

7.50

Oncidium cebolleta: Pseudobulbs almost absent, leaves about 9" long, stoutly terete, tapering, chancelled on the face. Scapes about 1 1/2" across. Sepals and petals yellow spotted with redbrown, lip bright canary-yellow. A beautiful sight in bloom. Spring.

Oncidium lanceanum: Pseudobulbless. Leaves about 20" high. Flowers large, fragrant, sepals and petals yellow, shaded with green, spotted with chocolate-brown. Lip rose-purple darker at the base. Summer.

8.50

Ondidium leucochilum: Pseudobulbs about 3" high, leaves about 8" high, scapes about 4' long, branched, arched or drooping, many-flowered. Flowers variable, about 2", sepals and petals yellowish-green, barred and blotched with dark-brown; lip spreading, white, Various and long-lasting. 8.50

Oncidium Marshallianum: Pseudobulbs about 3", leaves about 10" tall, scapes about 3' high, branched. Flowers large and variable, sepals yellow, barred with reddish-brown. Lip large and spreading, bright-yellow, the vase and crest spotted with orange-red. Summer.

9.50

Oncidium ornithorhynchum: Pseudobulbs oval-oblong, about 3" high, leaves about 8" high, scapes arching, branched, about 12" long, many-flowered. Flowers are very fragrant, nearly 1" across, soft rose-lilac in color. Winter. 8.50

Oncidium varicosum var Rogersii: A very handsome species. Pseudobulbs oval-oblong, furrowed, 3-4" high, leaves about 6" high, scapes 3' long, branched, arching. Flowers variable, sepals and petals small, yellow, barred with red-brown, lip large, spreading, bright-yellow. Fall and winter. 9.50

Oncidium splendidum: Pseudobulbs roundish, about 2" tall, very stiff single leaves, about 12" long; scapes stout, erect, branched, about 2-3' high. Flowers large, sepals and petals yellow, barred and blotched with rich-brown, recurved at the tips. Lip is large, flat, clear-yellow. Summer and various. 8.50

Phalaenopsis Esmeralda: Leaves 5-8" long, rounded, purplish beneath. Scapes erect, slender, 15" or more high, manyflowered. Flowers about 1" across, variable in color. Sepals and petals light or dark-amethyst, lip three-lobed, deep-purple. Late summer.

8.50

Renanthera coccinea: Closely allied to Vandas, and requiring similar treatment. Height about 3", leaves 4-5" long, leathery, scapes long, branched, many-flowered. Flowers 3-4" in vertical diameter, upper sepal and petals narrow, blood-red, spotted with yellow. Lower sepals are large, narrowest basally, bright-vermillion-red. Lip small, yellow and red. Various.

9.50

Stauropsis fasicata (trichoglottis) Allied to Vandas and requiring similar treatment. Slender stems, about 18" tall, leaves 3-4" long, scapes about 6" long, 4-9 flowered. Blooms about 2" across, sepals and petals light chestnut-brown, barred with yellow. Lip three-lobed, white, spotted with red-brown. Summer.

Trichocentrum alba purpureum: A dwarf-growing species.

Most plants do not have pseudobulbs. Leaves about 4" long,
flowers about 2" across, sepals and petals tawny-brown,
tipped with green. Large lip is white with purple blotch on each
side of crest. Front of lip has purple striping. Summer. 6.50

Trichopilia tortilis: Pseudobulbs compressed, about 2" high.
Leaves about 6" long. Flowers large, sepals and petals narrow,
twisted, pale-rose, margined with pale-yellow-green; lip white,
blotched and spotted with red-brown. Margin crisped and undulated. Various.

8.50

Vanda coerulea: Stems about 2' high, leaves about 5" long, scapes ascending, variable in length, flowers large, handsome, variable, 3-4" or more across. Fall.

8.50

Zygopetalum Mackayi: Pseudobulbs ovoid, 2-3" high; leaves about 12" long, scapes about 20" tall, several-flowered. Blooms about 3" across vertically; sepals and petals light yellowishgreen, botched with purplish-brown; lip broad, white, streaked with violet-purple, arranged in lines; crest ridged. Fragrant. Fall and winter.



There is the contract of the second state of t